120

120

QC1- Inspect dimensions to dimension sheet

Memo

· b. - 13/10/0

4 6

0A5 08 9-89

Quality Control

0.00

Control

										DQA:	Date: _	
NCR:	Yes /	No				WORK ORDER NON-C	ONFOR	MANCE / UP			_	
									* * * * * * * * * * * * * * * * * * * *	QA Closed:	Date:	
Work Ord	or·					DISPOSITION			AGAINST DE	PARTMENT	/PROCESS	
WOIR OIG	··· —					Rework		Skid-tube	Crosstube		Water Jet	Engineering
Part I	Nο					Scrap		Machining	Small Fab	Pro	d. Eng. Coor.	Quality
1 410					 	Use-as-is	Ther	moforming	Finishing		re/Packaging	Other
NCR I	No.					Work Order Update		Large Fab	Composite		Supplier	
							'	U	' -			
Root					Descri	ption of work order update	Initial	Ac	tion	Sign &		
Cause	D	ate	Step	Qty	C	or Non-conformance	Chief Eng	Desc	ription	Date	Verification	QC Inspector
Doc/Data												
Equip/Tooling												
Operator								1				
Material		ŀ										
Setup						•						
Other	Ш											
Process	Ш.											
Supplier												
Training	Ш											
Unapproved												
						F	AULT CAT	GORY				
Landing Gear						General	_			1	· .	1
	\vdash	ding			ļ	Bend	Grain			Ovalized		Pressure/Forced
•	Cen	tre No	t Concer	tric to (o/s	BOM/Route	Hardw	are		Over/Under	tolerance	Temperature/Cure

Inspection Incomplete

Maintenance

Out of Calibration

Out of Sequence
Outside Dimensions

Mislabeled

Misread

Offset

Instructions Incomplete/Unclear

Weld

Other

Wrong Stock Pulled

Part Incorrect

Part Moved

Part Lost/Missing

Positioned Wrong

Power Loss/Surge

Broken/Damaged

Contamination

Countersink

Cut Too Short

Drill Holes

Drawing

Finish

Folio

Burrs

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Cracks

Cuffs

Heat Treat

Crushed/Crimped.

Inspection Strip in Tube

Torque Waves in Extrusion

Work Ord September-27-				*107	7686*						Page
Item ID: Revision ID: Item Name: Start Date:	D2933-1 206 Saddle 1 9/27/13	Left Start Qty: 4.00	*4*	Accept	*N900040100) *	Setup Sta	1 1	S1* S2*
Required Dat Reference:	te: 9/27/13	Req'd Qty: 4.00	*4*		Customer:	•			. C1		
Approvals:		lan:	Date:			oate:]	Run Sta Sto	1/7	R1* R2*
Sequence ID/ Work Center 130 *130* QC Quality Control		Operation Description QC8- Inspect parts - sec	ond check	Set Up/ Run Hours 0.00	Tool ID	Tool# \$13-10-	Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
140 *140* HandFinish Hand Finishing		Chemical Conversion Co	oat per QS1005 4.1	0.00				if	_ Ne	G 13-1	08

150

White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum

0.00

150 Powdercoat

Powder Coating

Memo

START TIME: LC

OVEN TEMPERATURE:

4xpmf 13/10/09

m126125

Page 2

		DQA:	Date:	
NCR: Yes / No	WORK ORDER NON-CONFORMANCE / UPDATE			

									QA Closed:	Date	:		
Work Orde	r:				DISPOSITION			AGAINST DE	PARTMENT	/PROCESS			
Part N	0				Rework Scrap Use-as-is] _{Th} ,	Skid-tube Machining ermoforming	Crosstube Small Fab Finishing	l	Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other		
NCR N	0							Composite					
Root				Descri	ption of work order update	Initia	I A	Action	Sign &				
Cause	Date	Step	Qty	(or Non-conformance	Chief E	ng Des	scription	Date	Verification	QC Inspector		
Doc/Data													
Equip/Tooling													
Operator													
Material	_					i							
Setup													
Other													
Process													
Supplier													
Training													
Unapproved						<u> </u>			<u> </u>				
					F	AULT CA	TEGORY	·		· · · · · · · · · · · · · · · · · · ·			
Landin	g Gear	/			General				•	_	_		
	Bending				Bend	Grai	n		Ovalized		Pressure/Forced		
	Centre No	ot Concer	ntric to C)/s	BOM/Route	Hard	lware		Over/Under	tolerance	Temperature/Cure		
L	Cracks		٨		Broken/Damaged	Insp	ection Incomplete		Part Incorre	ct	Weld		
	Crushed/	Crimped:	\setminus		Burrs	Instr	uctions Incomplete	e/Unclear	Part Lost/M	issing	Wrong Stock Pulled		
	Cuffs		/		Contamination	Mai	ntenance		Part Moved				
	Heat Trea	it .			Countersink	Misl	abeled		Positioned V	Vrong			
	Inspection	n Strip in	Tube		Cut Too Short	Misr	ead		Power Loss/	Surge	Other		
	Ripples in Bend			Drill Holes	Offs	et							
	Torque W	aves in E	xtrusion		Drawing	Out	of Calibration		-				
	Turning S	equence			Finish	Out of Sequence							
	Wave/Tw	ist in Tub	e		Folio	Outside Dimensions							

	Work Order ID 107686 September-27-13 1:10:01 PM			*107	7686*				Page 3
Item ID: Revision ID: Item Name:	D2933-1 206 Saddle L	.eft		Accept	*N900	N4N1N)* Se	etup Start Stop	*NS1* *NS2*
Start Date: Required Date: Reference:	9/27/13 : 9/27/13	Start Qty: 4.00 Req'd Qty: 4.00	*4* *4*	,	Cust Item II Customer:	D:			
Approvals:	Process Pl	an:	Date:	Tooling: SPC (Y/N):		te:	Rı	ın Start Stop	*NR1* *NR2*
Sequence ID/ Work Center II	D	Operation Description QC3- Inspect Part Finish		Set Up/ Run Hours	Tool ID	Tool # Plan Code	Accept Qty		Reject Insp. Number Stamp
160 QC Quality Control		Memo		0.00 DAS 27 9-89)3 \(4		
170 Packaging Packaging		Identify as per dwg & Sto	ck Location	0.00	1		ДХ.		DAS 26 9-89
*180		QC21- Final Inspection -	Work Order Release	0.00			\mathcal{A}	r / al	12-18-18
QC Quality Control		Memo		0.00				- W-1	MG

13-107

		DQA:	Date:	
NCR: Vec / No	WORK ORDER NON-CONFORMANCE / LIPDATE			

	, , , , , ,								QA Closed:	Date	: :
Work Orde	or.				DISPOSITION			AGAINST DE	PARTMENT,	/PROCESS	
WOIR OTUC					Rework	1 I	Skid-tube	Crosstube	1	Water Jet	Engineering
Part N	lo.				Scrap	† 	Machining	Small Fab	Pro	d. Eng. Coor.	Quality
					Use-as-is	_{Ther}	moforming	Finishing	4	re/Packaging	Other
NCR N	lo.				Work Order Update	1	Large Fab	Composite	1	Supplier	
	e Date Step Qty				<u> </u>		, ,	·	J		
Root				Descri	ption of work order update	Initial	A	ction	Sign &		
Cause	Date	Step	Qty		or Non-conformance	Chief Eng	Des	cription	Date	Verification	QC Inspector
Doc/Data											
Equip/Tooling							-				
Operator											,
Material											
Setup							1				
Other											,
Process											
Supplier											
Training											
Unapproved											
لان ريا		-			F.	AULT CATI	GORY				
Landir	ng Gear				General				_		
	Bending				Bend	Grain			Ovalized		Pressure/Forced
	Centre N	Not Concei	ntric to (o/s	BOM/Route	Hardw	are		Over/Under	tolerance	Temperature/Cure
	Cracks				Broken/Damaged	Inspec	tion Incomplete		Part Incorre	ct	Weld
,	Crushed	/Crimped			Burrs	Instruc	tions Incomplete	/Unclear	Part Lost/M	issing	Wrong Stock Pulled
	Cuffs				Contamination	Maint	enance		Part Moved	_	
	Heat Tre	eat			Countersink	Mislab	eled		Positioned \	V rong	
	Inspection	on Strip in	Tube		Cut Too Short	Misrea	d		Power Loss/	′Surge	Other
	Ripples i	in Bend			Drill Holes	Offset		Newson Add to			
	Torque \	Waves in E	xtrusion	1	Drawing	Out of	Calibration	•			
	Turning	Sequence			Finish	Out of	Sequence				
	Wave/T	wist in Tub	e		Folio	Outsid	e Dimensions				

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

Page 1

Work Order ID:

107686

Parent Item:

D2933-1

Parent Item Name:

206 Saddle Left

Start Date: 9/27/13

Required Date: 9/27/13

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP: B00.06.26New DWG rev (mpp 2069)EC IPP Rev:C As per Rev C 07-03-19 JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
D6101-001 Saddle Billet	3	Manufactured	No		,	100	Each	30.0000	. 1	4	13.2	13	10 00
				Location		Loc Oty	<u>Lo</u>	c Code				,	,
				MAT042		30						•	
				10363	37	3							
				-> 97239)	27				4.0			

								-		DQA.	Date.		
NCR:	Yes / No				WORK ORDER NON-	CONFO	RMANCE ,	UPDATE		QA Closed:	Date:		
		<u></u>			DISDOSITION				A INICT DE				
Work Orde	er:				DISPOSITION			AG	AINST DE	PARTMENT	/PROCESS	•	
Part N				· · · · · · · · · · · · · · · · · · ·	Rework Scrap Use-as-is	The	Skid-tube Machining rmoforming	Sm Fir	sstube all Fab	4	Water Jet d. Eng. Coor. re/Packaging	Engineering Quality Other	
NCR N	NO				Work Order Update		Large Fab	Com	posite	ite Supplier			
Root				Descri	ption of work order update	Initial		Actión		Sign &			
Cause	Date	Step	Qty		or Non-conformance	Chief Er	ng	Description		Date	Verification	QC Inspector	
Doc/Data							-			• •			
Equip/Tooling													
Operator													
Material								•				1	
Setup					•	1		,					
Other		1 1				1						ļ	
Process	. •												
Supplier					,								
Training			l									·	
Unapproved		1											
-					F	AULT CA	TEGORY						
Landir	ng Gear				General					_		_	
	Bending				Bend	Graii	j .			Ovalized		Pressure/Forced	
	Centre No	ot Conce	ntric to	o/s	BOM/Route	Hard	ware			Over/Under	tolerance	Temperature/Cure	
	Cracks				Broken/Damaged	Inspe	ction Incompl	ete		Part Incorre	ct .	Weld	
	Crushed/	Crimped.			Burrs	Instru	uctions Incom	plete/Unclear		Part Lost/M	issing	Wrong Stock Pulled	
. [Cuffs				Contamination	Mair	ntenance			Part Moved		_	
ſ	Heat Trea	it			Countersink	Misla	beled			Positioned \	Wrong ·		

Out of Calibration,

Outside Dimensions

Out of Sequence

Misread

Offset

Positioned Wrong

Power Loss/Surge

Other

Ripples in Bend

Turning Sequence

Wave/Twist in Tube

Inspection Strip in Tube

Torque Waves in Extrusion

Cut Too Short

Drill Holes

Drawing

Finish


Folio

H:/FORMS/Quality Assurance\approved QA/NCRWO Rev G

DART AEROSPACE LTD	Work Order:	107686
Description: 206 Saddle, Inboard, Left side	Part Number:	D2933-1
Inspection Dwg: D2933 Rev: C DSK: Rev:		Page 1 of 1

FIRST ARTICLE INSPECTION DIMENSION SHEET

FIRST ARTICLE INSPECTION DIMENSION SHEET											
	<u> </u>		X First A	Article [Proto	type					
			•		Record	Actual Dir	nensions				
Dim	Min	Max	Go/No Go Gauge	1	2	3	4	5			
Α	0.100	0.140		0.122	0.123	0.123	0.123				
В	0.100	0.140		0.126	0.126	0.126	0.126				
Ö	0.100	0.140		6.107	F01.0	0.107	0.107				
D/\$	0.210	0.230		0,218	0.218	0.216	0.218				
E	1.245	1.255		1.250	1.250	1.250	1.250				
F	1.245	1.255	•	1.250	1.250	1.250	1.250				
G	2.495	2.505		2.500	2.500	2.500	2.500				
Н	0.510	0.515		0.512	0.512	0.512	0.512				
<u> </u>	1.572	1.582		1.577	1.577	1.577	1.517				
J	2.495	2.505		2.500	2-500	2.500	2.500				
K	0.257	0.262		0.259	0.259	0.259	0.259				
L	0.312	0.317		0.314	0.314	0.314	0.314				
Μ,	0.235	0.240		0.237	0.237	0.237	0.237				
, N	0.100	0.140		0.1180	0.1130	0.1180	0.180				
0	0.540	0.560		0.548	0.548	0.548	0.548				
P/	0.490	0.510		0.498	0.496	A 441	0.498				
Q	3.715	3.725		3.720	3 720	3.720	3.720				
R	2.470	2.510		2.740	2-740	2-740	2-740				
S	0.240	0.270		0.248	0.248	0.249	0.248				
Т	0.100	0.180		0.130	0.130	0.130	0.130 =				
U	1.625	1.635		1.630	1.630	1-630	1.630				
V	1.362	1.372		1.367	1.367	1.367	1.367				
W	0.316	0.321		0.316	0.316	0.36	0.316	70.0			
Χ	-1.125	1.145,		1.1365	1.1365	1,1355	1. 1355				
Υ	1.565	1.585		1.574	1.574	1.4735	1.5735				
Z	0.178	0.198		6.188	0.188	0.188	0.188	,			
AA						~~~~		:			
AB			· ·								
AC			` *.				-				
AD											
AE											
			Accept/Reject		2AG			***			
	Measure	d by: B. a			08	*Date	13/10/04	5			
٠.	Audite	d by:	-	*	9-83	Date					
Prote	otype Appr			V/A		Date		I/A			
Rev	Date	Change				R	evised by	Approved			
Α	<u> </u>	New Issue	*		*,*	R					
В	02.12.12		dded Dim. X-Y,	DT8683, DT	8686, DT869	n 8	J/RF				
С	06.10.03		8683, DT8686	& DT8690		K	J/JLM	 			
D	07.03.21		drawing revision				J/JLM .				
E											
	E 08.01.16 DT8695 A/B removed from dimension Y KJ/EC/DD										



107686 MLJ 13-09-27